

SECTION 404 (2) (b)
PRIMARY DIAGNOIS OF
CONSUMERS SERVED
FY 2005

Overview

This section shows the primary diagnoses for the 200,424 consumers served during FY05 as reported to the encounter data Warehouse. The most common diagnosis was major depression (15.5%), followed by mental retardation (11.8%) and bi-polar disorder (10.3%).

CMHSP Client Level Encounter Data
Primary Diagnosis Breakdown
Fiscal Year 2004-2005
State of Michigan

Primary Diagnosis	Total Served
Major Depression	31,149
Mental Retardation	23,618
Bipolar Disorder	20,553
Personality Disorders Axis II	17,469
Attention Deficit and Disruptive Beh	15,719
Other Psychotic Disorder	15,029
Adjustment Disorders	13,191
Schizophrenia	12,730
Depressive Disorder NOS	10,953
Anxiety Disorder	7,648
Mood Disorder NOS	5,838
Substance-abuse related	5,375
Dysthymic Disorder	4,501
Pervasive Developmental Disorder	2,850
Panic & Obsessive Compulsive Disorder	2,418
Impulse Control Disorders	1,720
Delirium, Dementia and Amnestic and Other Cognitive Disorder	1,554
Other Disorders from Infancy/Childhood	1,411
Other Conditions	1,169
Unspecified Mental Disorder	915
Motor Skills Disorder	373
Mental Disorder due to a General Medical Condition	245
Eating Disorder	135
Sexual and Gender Identity Disorder	101
Dissociative Disorder	76
Somatoform Disorder	73
Tic Disorders	67
Communication Disorder	54
Learning Disorder	51
Elimination Disorders	45
Sleep Disorders	37
Feeding Eating Disorders of Infancy	27
Factitious Disorder	11
Diagnosis Code Not Recognized	2
Missing/Unknown	3,317
Total	200,424